

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	670400	(air or vent\$3 or gas) near4 flow\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 12:57
L2	1055081	(above or over or higher or lower or below or under) with (rate or flow\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 12:58
L3	36406	(2 or abnormal\$2 or fail\$4 or malfunction\$3) with (alarm\$3 or warn\$3 or alert\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 12:59
L4	332	1 and (3 same test\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 13:00
L5	13	4 and (duct or vent\$3) and damper\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 13:17
L6	1	5 and (flow adj rate)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 13:20
L7	10	5 and (threshold or limit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 13:23
L8	10	5 and overrid\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:15
L9	684921	(overrid\$3 or control\$4 or adjust\$3) near5 (flow or rate)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:16
L10	2456	1 and 3 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:17
L11	211	1 and (3 with 9)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:21
L12	92	10 and duct and damper	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:20
L13	9799	9 with (test\$3 or verify\$3 or verification)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:20
L14	0	1 and (3 with 13) and duct and damper\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:21
L15	1	1 and (3 with 13) and duct	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:26

L16	4	1 and (3 with 13)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:24
L17	0	16 and overrid\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 14:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49630	(vent\$3 or air adj condition\$3 or HAC) near7 flow\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:05
L2	38485	(above or higher or below or under or lower) near4 (flow near2 rate)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:06
L3	1394	2 with (alarm\$3 or alert\$3 or warn\$3 or indicat\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:23
L4	57	1 and 3 and (test\$3 or calibrat\$3 or verification)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:23
L5	36	4 and gas\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:28
L6	182	2 with (alarm\$3 or alert\$3 or warn\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:23
L7	2	1 and 6 and ((test\$3 or verification) near5 (alarm\$3 or alert\$3 or warn\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:25
L8	1	7 and gas\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/04 10:28

US 6128910 A	Diagnostic unit for an	62/129	62/127
US 5657254 A	Process gas distributi	702/98	702/138; 73/708
US 5497316 A	Process gas distributi	700/11	700/12; 700/14; 700/282; 702/13
US 4678460 A	Portable rapid massiv	604/113	392/470; 604/80; 604/83; 607/10
US 6559052 B2	Deposition of amorph	438/680	257/637; 257/640; 438/482; 438/
US 6405577 B2	Flow rate detector me	73/23.31	73/861.53; 73/861.63; 73/863.03
US 5685991 A	Integrity-testable wet-	210/651	210/500.41; 210/645; 264/41
US 5626025 A	Liquid pressure ampli	62/117	62/197; 62/DIG.2
US 5509272 A	Apparatus for dehumid	62/176.5	62/196.1; 62/196.3; 62/197; 62/C
US 5508947 A	Process gas distributi	702/87	702/104; 73/1.63
US 5480554 A	Integrity-testable wet-	210/651	210/500.41
US 5331995 A	Flow control system fi	137/8	128/204.21; 137/468; 137/487; 1
US 5329782 A	Process for dehumidifi	62/90	62/176.5; 62/DIG.2
US 5329463 A	Process gas distributi	702/47	340/606; 73/861.42
US 5325725 A	Water cooled stator w	73/861.21	73/217; 73/223
US 5295391 A	Method and apparatus	73/49.2	
US 5220517 A	Process gas distributi	700/282	340/3.1; 340/3.71
US 5190075 A	Viscosity-insensitive r	137/501	137/467.5; 137/504
US 5038621 A	Variable area obstruc	73/861.53	600/538
US 5003810 A	Fluid meter	73/196	702/100; 702/49; 73/195; 73/861
US 4989456 A	Variable area obstruc	73/863.53	138/46; 600/538
US 4886055 A	Nebulizer device	128/200.1	128/200.21; 128/203.12; 128/20
US 4653321 A	Method of automatica	73/197	340/606
US 4615411 A	Sound-insulated flow	181/224	181/252; 181/286; 181/290; 181/
US 4457304 A	Self-regulating infant	128/204.2	128/205.24
US 4340050 A	Medical fluid flow rate	604/246	137/426; 137/454; 137/571; 222/
US 4251220 A	Apparatus for and me	436/103	210/662; 210/664; 422/106; 422/
US 4204563 A	Discharge spout tip fc	141/206	141/1; 141/286; 141/392; 29/890
US 3981700 A	Vent structure	55/385.4	376/327; 976/DIG.119; 976/DIG.
US 3948628 A	Vent assembly includi	55/309	138/109; 138/40; 138/89; 220/37
US 3931835 A	Long term vent struct	138/42	138/109; 976/DIG.119; 976/DIG.
US 3921612 A	Apparatus for and me	123/438	123/699; 261/121.4; 261/19; 261
US 3919757 A	Method of fabricating	29/896.62	29/525; 376/327; 376/456; 976/C
US 3910113 A	Method of selectively	73/861.65	73/1.25
US 3876403 A	Vent assembly	55/385.4	138/109; 138/42; 376/327; 376/4
US 3667191 A	REMOVAL OF PART	95/155	

L5

L<sub>8</sub> US 6081196 A  
US 4678460 A

Apparatus and metho 340/606  
Portable rapid massiv 604/113


340/609; 340/611; 73/197; 73/86  
392/470; 604/80; 604/83; 607/10

L<sub>7</sub>

US 5902182 A	Air exchange and cle: 454/255	55/318; 55/467
US 5475364 A	Room occupancy fire 340/522	340/525; 340/567; 340/587; 340/
US 5309146 A	Room occupancy indi 340/540	340/567; 340/573.1; 340/628
US 5165465 A	Room control system 165/11.1	165/237; 236/46R; 236/47; 236/5
US 4843833 A	Appliance control sys: 62/180	62/126; 62/127; 62/156; 62/187;
US 4245779 A	System for increasing 236/1G	126/285B; 431/20; 454/236
US 6216956 B1	Environmental conditi 236/47	236/78R; 307/39
US 5996402 A	Fuel cap leakage test 73/49.7	73/40
US 5924486 A	Environmental conditi 165/238	165/255; 236/46R; 307/39
US 5846128 A	Air exchange and cle: 454/229	454/232; 454/233; 454/236
US 4445180 A	Plant unit master conti 700/289	290/40R; 60/646; 700/41
US 3891915 A	Digital computer conti 322/15	290/2; 290/40R; 60/39.27; 60/39
US 3866109 A	Digital computer conti 322/15	290/40R; 376/217; 60/39.281; 70

L5

US 5475364 A	Room occupancy fire 340/522	340/525; 340/567; 340/587; 340/
US 5309146 A	Room occupancy indi 340/540	340/567; 340/573.1; 340/628
US 5165465 A	Room control system 165/11.1	165/237; 236/46R; 236/47; 236/5
US 4843833 A	Appliance control sysi 62/180	62/126; 62/127; 62/156; 62/187;
US 6216956 B1	Environmental conditi 236/47	236/78R; 307/39
US 5996402 A	Fuel cap leakage test 73/49.7	73/40
US 5924486 A	Environmental conditi 165/238	165/255; 236/46R; 307/39
US 4445180 A	Plant unit master conl 700/289	290/40R; 60/646; 700/41
US 3891915 A	Digital computer conti 322/15	290/2; 290/40R; 60/39.27; 60/39
US 3866109 A	Digital computer conti 322/15	290/40R; 376/217; 60/39.281; 70



US 5902182 A	Air exchange and cle: 454/255	55/318; 55/467
US 5475364 A	Room occupancy fire 340/522	340/525; 340/567; 340/587; 340/
US 5309146 A	Room occupancy indi 340/540	340/567; 340/573.1; 340/628
US 5165465 A	Room control system 165/11.1	165/237; 236/46R; 236/47; 236/
US 4843833 A	Appliance control sys: 62/180	62/126; 62/127; 62/156; 62/187;
US 4245779 A	System for increasing 236/1G	126/285B; 431/20; 454/236
US 6216956 B1	Environmental conditi 236/47	236/78R; 307/39
US 5924486 A	Environmental conditi 165/238	165/255; 236/46R; 307/39
US 5846128 A	Air exchange and cle: 454/229	454/232; 454/233; 454/236
US 4445180 A	Plant unit master con: 700/289	290/40R; 60/646; 700/41

L8



US 5845504 A

Portable/potable wate 62/92

62/285

L<sub>15</sub>

L11

US 6647783 B2	Vent plug for environr	73/431	422/98
US 6337049 B1	Soft shell venous res	422/44	422/45; 604/327; 604/4.01; 604/4
US 5895071 A	Compact crash sensi	280/735	307/10.1; 340/438
US 5892193 A	Compact crash sensi	200/61.53	
US 5608384 A	Method and apparatus	340/632	324/464; 324/468
US 5603892 A	System for maintainin	422/3	422/10; 422/111; 422/112; 422/1
US 5511263 A	Laundering liquids pro	8/158	210/104; 210/143; 210/257.1; 21
US 5263476 A	Enclosure system for	128/204.11	128/204.21; 128/205.11; 128/205
US 6779516 B1	Closed crankcase ver	123/572	
US 6697757 B2	Local network based	702/130	702/127
US 6626133 B2	Explosion protection s	122/504	122/13.01; 122/14.2; 392/441
US 6543449 B1	Medical ventilator	128/204.11	128/204.21; 128/205.23
US 6457472 B1	Method and apparatus	128/204.21	128/204.26; 128/207.14
US 6449896 B1	Crop weighing	47/17	119/416; 119/417; 119/418; 119/
US 6394062 B2	Dust sensing assemb	123/198E	181/206
US 6122678 A	Local network based	710/15	340/567; 340/584; 340/600; 374/
US 6076752 A	Method and apparatus	241/16	241/31; 241/33; 241/48; 241/DIG
US 6055981 A	Automatic transport v	128/204.11	128/204.26; 128/205.24
US 5963883 A	Modified airflow algori	702/47	303/15; 303/3; 702/100; 702/50;
US 5652966 A	Reinforced full body s	2/457	2/243.1; 2/455; 2/46; 2/69; 2/84;
US 5571994 A	Weatherproof seal for	174/65R	174/151; 174/DIG.8; 248/56
US 5513407 A	Reinforced full body s	8/158	8/159
US 5421048 A	Laundering decontam	8/158	210/104; 210/143; 210/806; 210/
US 5329659 A	Laundering facility an	8/158	210/104; 210/143; 210/257.1; 21
US 5236673 A	Ozonation system for	422/186.01	422/186.18; 422/28; 422/3
US 5079930 A	Apparatus and metho	62/129	62/200; 62/513
US 5023654 A	Thermal fixing device	355/405	355/106; 355/30; 399/93
US 4847770 A	Initial terminal tester	701/20	246/169R; 303/20; 702/114; 702
US 4749063 A	Brake clearance sens	188/1.11E	188/79.51; 188/79.53
US 4615390 A	System to control the	166/250.01	73/152.29; 73/152.42
US 4450569 A	Method and structure	373/9	373/77; 373/78
US 4325223 A	Energy management	62/126	62/127; 62/171; 62/475; 702/182

L6

US 6697757 B2  
US 6122678 A  
US 6285912 B1

Local network based i 702/130  
Local network based i 710/15  
System for physically 700/11

702/127  
340/567; 340/584; 340/600; 374/  
700/26; 700/9

L9

US 5895071 A	Compact crash sensiti	280/735	307/10.1; 340/438
US 5892193 A	Compact crash sensiti	200/61.53	
US 5511263 A	Laundering liquids pro	8/158	210/104; 210/143; 210/257.1; 21
US 5263476 A	Enclosure system for	128/204.1	128/204.21; 128/205.11; 128/20
US 6457472 B1	Method and apparatus	128/204.2	128/204.26; 128/207.14
US 6076752 A	Method and apparatus	241/16	241/31; 241/33; 241/48; 241/DIG
US 6055981 A	Automatic transport v	128/204.1	128/204.26; 128/205.24
US 5963883 A	Modified airflow algori	702/47	303/15; 303/3; 702/100; 702/50;
US 5652966 A	Reinforced full body s	2/457	2/243.1; 2/455; 2/46; 2/69; 2/84;
US 5571994 A	Weatherproof seal for	174/65R	174/151; 174/DIG.8; 248/56
US 5513407 A	Reinforced full body s	8/158	8/159
US 5421048 A	Laundering decontam	8/158	210/104; 210/143; 210/806; 210/
US 5329659 A	Laundering facility an	8/158	210/104; 210/143; 210/257.1; 21
US 5236673 A	Ozonation system for	422/186.0	422/186.18; 422/28; 422/3
US 4847770 A	Initial terminal tester	701/20	246/169R; 303/20; 702/114; 702
US 4749063 A	Brake clearance sens	188/1.11E	188/79.51; 188/79.53
US 4615390 A	System to control the	166/250.0	73/152.29; 73/152.42
US 4450569 A	Method and structure	373/9	373/77; 373/78

L<sub>10</sub>

US 5475364 A	Room occupancy fire 340/522	340/525; 340/567; 340/587; 340/
US 5309146 A	Room occupancy indi 340/540	340/567; 340/573.1; 340/628
US 5165465 A	Room control system 165/11.1	165/237; 236/46R; 236/47; 236/5

L13